

Circular Area Light from PolyBrite



Why PolyBrite led post top decorative light:

1: lighting effect

post top area light with 120 degree, all light into ground!!

More better light efficiency than 360degree housing garden light;


2: High lumens efficacy, the LPW of Bbier 100w area light can reach 140.8lm/w, more higher than housing type

3: save shipping cost

the volume weight of PolyBrite led area light is only 7.5kg/pcs, normally with 8.0-14kg/pcs.

IP rating of IP67, you can check our real waterproof testing video below.

DATA OF LAMP		PHOTOMETRIC DATA			
MODEL	RSZ161025523-10	I _{max} (cd)	4301	η street_up(%)	0.1
NOMINAL POWER(W)	100	LOR(%)	100.0	η street_down(%)	50.7
RATED VOLTAGE(V)	120	TOTAL FLUX(lm)	13420	η house_up(%)	0.0
NOMINAL FLUX(lm)	13419.5	MAXIMUM @ (C,γ)	90,2.0	η house_down(%)	49.2
LAMPS INSIDE	1	η up(%)	0.1	76 FLASHAREA(m2)	0.05000
TEST VOLTAGE(V)	120	η down(%)	99.9	SLI	22.092



BOREALISSM

INNOVATIVE LED LIGHTING

by PolyBrite International, Inc.

